

Advanced search

- Bioinformatique, Phylogénie et Génomique Evolutive : LifeMap: exploring the entire tree of life (Damien de Vienne)
n- Epigénétique et Formation du Zygote

'Dialogues' between squid and luminous bacteria during the establishment of the interaction and the building of the extended phenotype.

Symbiotic associations are widespread in nature, and constitute a driving force in the evolution of organisms. However, the interactions between partners that lead to the establishment, the specificity and the evolution of the association are oftentimes difficult to study. We used the binary mutualistic association between the squid *Euprymna scolopes* and the luminescent bacterium *Vibrio fischeri* as a natural model to study the dialogue between partners that facilitates the selection and colonization of the symbiont into host tissues, but also its maintenance over a strong diel rhythm. We coupled comparative transcriptomics analyses and functional characterizations to better understand how the initial molecular conversation between the two partners plays a role in determining the specificity of the association. We also studied the influence of the presence of a persistent luminous bacterium on the gene expression and physiology of its host. These studies reveal that a very limited number of symbionts is sufficient to reprogram host gene expression, leading to the specific establishment of the interaction and the building of its extended phenotype.

"Comment exploiter une communauté marine? Un changement de regard sur la sélectivité de la pêche, dans une perspective écosystémique".

Résumé: On s'accorde généralement à dire qu'il faut améliorer la sélectivité des engins de pêche, et réduire le gaspillage dû au rejet des captures non désirées prises dans les engins non sélectifs comme les chaluts. C'est même un sujet brûlant de la réforme en cours de la Politique Commune des Pêches de l'Union Européenne. D'un autre côté, l'approche écosystémique des pêches requiert que l'on préserve la structure et la fonction des écosystèmes exploités. Cela est-il compatible avec le prélèvement par la pêche de catégories restreintes d'animaux, par exemple les plus grands, ou quelques espèces d'intérêt commercial dans une communauté qui en compte plusieurs dizaines ? Je présenterai des résultats de modèles qui confirment cette intuition, et les premières tentatives d'analyses empiriques de cette question.

EVENTS

Relevance:  100%

"Evolution phénotypique et génétique au cours d'une expérience au long terme chez Escherichia coli"

-

06/11/2020

NEWS

Relevance:  100%

"L'âge d'or des animaux" sur ARTE, les chercheurs du LBBE prennent la parole

15/10/2017

EVENTS

Relevance:  100%

"La morphométrie appliquée aux rongeurs: un marqueur des processus de l'évolution".

.

06/11/2020

EVENTS

Relevance:  100%

"Le Kama Sutra des nucléosomes aux promoteurs: positions, variantes et contraintes physiques".

.

06/11/2020

EVENTS

Relevance:  100%

"Microevolution in Island Birds: Insights from white-eye colonisations of southwest Pacific islands »

-

06/11/2020

EVENTS

Relevance:  100%

"Quand la démographie part à la rencontre de la biologie évolutive"

-

06/11/2020

EVENTS

Relevance:  100%

"Stirring Tails of Evolution"

One of the most fundamental issues in biology is the nature of evolutionary transitions from single cell organisms to multicellular ones. Not surprisingly for microscopic life in a fluid environment, many of the processes involved are related to transport and locomotion, for efficient exchange of chemical species with the environment is one of the most basic features of life. This is particularly so in the case of flagellated eukaryotes such as green algae, whose members serve as model organisms for the study of transitions to multicellularity. In this talk I will summarize recent theoretical and experimental work addressing a number of interrelated aspects of evolutionary transitions in the Volvocine green algae, which range from unicellular *Chlamydomonas* to *Volvox*, with thousands of cells. Phenomena to be discussed include allometry of nutrient uptake, phenotypic plasticity, flagellar synchronization, hydrodynamic bound states, and the dynamics of adaptive phototaxis. For more details, see <http://www.cgmc.univ-lyon1.fr/Semovi/13octobre2010.php>

06/11/2020

EVENTS

Relevance:  100%

"The common language of mutualism and pathogenic animal-microbial associations: Lessons from the squid-vibrio system"

One of the principal questions in the study of animal-bacterial interactions is: What are the cellular and molecular differences between beneficial and pathogenic associations? The study of several invertebrate symbioses has demonstrated that, although the outcomes are different, beneficial and pathogenic associations share much of the same molecular language. This presentation will focus upon contributions to the field made by the study of the relationship between the Hawaiian bobtail squid *Euprymna scolopes* and its luminous bacterial partner *Vibrio fischeri*. In this symbiosis, the bacteria are acquired anew each generation and form persistent interactions along the apical surfaces of host epithelia, a pattern of symbiosis that is perhaps the most widespread among animals. The mechanisms underlying the processes of host-symbiont recognition, induction of partner development, and the maintenance of a balanced relationship will be highlighted.

06/11/2020

EVENTS

Relevance:  100%

"The mutations responsible for phenotypic evolution : from single case studies to general rules"

-

06/11/2020

EVENTS

Relevance:  100%

"Widespread signals of convergent adaptation to high altitude in Asia and America"

-

06/11/2020

PUBLICATIONS

Relevance:  100%

« Un lavage, c'est un lavage » : des chauffeurs bovins face aux consignes sanitaires (<https://hal.science/hal-04089184>)

Clémence Beslay, Mary Bouix, Henri Fauroux, Amandine Gautier, Francesco Luposella, Jean-Marie Pillon, Thibaud Porphyre, Marilynne Schell, Nathan Soleau

17/05/2023

EVENTS

Relevance:  100%

«Causal inference and mediation analysis: an overview of the principles and assumptionsn nRandomised clinical trials (RCTs) are the gold standard to make causal inference on associations between an exposure/treatment variable and an outcome. However, ...

01/07/2022

RESULTS FILTER

Par types de contenus

- > [Basic page](#)
(97)
- > [Department](#)
(5)
- > [Directory of people](#)
(247)
- > [Events](#)
(1228)
- > [News](#)
(356)
- > [Photo/video gallery](#)
(2)
- > [Publications](#)
(5112)
- > [Team](#)
(18)

Par rubrique

- > [Recherche](#)
(22)
- > [Intranet](#)
(21)
- > [Laboratoire](#)
(10)
- > [Research](#)
(3)
- > [Life in the lab](#)
(1)
- > [Recherche Recherche](#)
(1)
- > [Vie au laboratoire](#)
(1)

By creation date

From
(jj/mm/aaaa)

To
(jj/mm/aaaa)

FILTER BY
DATE

SORT BY :

- > [Relevance](#)
- > [Title](#)
- > [Type of content](#)
- > [Publication date](#)